

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	137	717/161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/05 10:59
L2	353	717/154.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/05 10:59
L3	303	717/159.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/05 10:59
L4	699	1 2 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/05 11:00
L5	83	4 and (processor near2 (characteristics specifications) (2 two) adj (phase step mark\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/05 11:01
S1	2113	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/27 14:18
S2	7254	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S3	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/10 15:53
S4	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 14:15
S5	230	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:27
S6	117	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:28

EAST Search History

S7	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:32
S8	15	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 10:00
S9	10	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:34
S10	1189	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 10:01
S11	86	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 10:01
S12	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/17 15:34
S37	17	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 14:15
S38	2251	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S39	7670	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S40	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S41	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29

EAST Search History

S42	245	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S43	125	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S44	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S45	19	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S46	14	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S47	1278	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S48	91	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S49	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S50	2396	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S51	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S52	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10

EAST Search History

S53	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S54	258	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S55	133	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S56	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S57	21	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S58	16	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S59	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S60	100	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S61	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S62	17	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S63	2396	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10

EAST Search History

S64	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S65	133	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S66	21	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S67	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S68	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S69	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S70	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S71	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S72	16	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S73	100	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S74	258	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10

EAST Search History

S75	9	("5822788" "99" "6055622" "89" "4888679" "89" "5752037" "89" "6311260" "89" "5941981" "86" "5694568" "86" "5761706" "76" "6055621" "76").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:11
S76	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S77	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S78	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S79	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S80	284	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S81	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S82	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S83	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S84	16	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S85	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

EAST Search History

S86	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S87	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S88	20	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S89	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S90	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S91	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S92	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S93	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S94	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S95	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S96	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S97	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

EAST Search History

S98	16	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S99	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 0	284	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 1	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 2	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 3	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 4	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 5	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 6	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 7	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S10 8	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

EAST Search History

S10 9	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 0	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 1	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 2	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 3	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 4	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 5	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 6	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 7	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 8	16	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory)))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S11 9	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

EAST Search History

S12 0	20	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S12 1	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S12 2	16	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S12 3	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S12 4	9	("5822788" "99" "6055622" "89" "4888679" "89" "5752037" "89" "6311260" "89" "5941981" "86" "5694568" "86" "5761706" "76" "6055621" "76").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S12 5	284	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S12 6	284	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S12 7	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/12/07 11:38
S12 8	10058	(percentage proportion ratio) near5 (prefetch\$3 (fetch\$3 load\$3 touch) near instruction preload\$3 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 07:54
S12 9	1721	(percentage proportion ratio) near (prefetch\$3 (fetch\$3 load\$3 touch) near instruction preload\$3 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 08:03
S13 0	19	(percentage proportion ratio) near (prefetch\$3 (fetch\$3 load\$3 touch) near instruction preload\$3 buffer\$3) near (insert\$3 add\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 07:55

EAST Search History

S13 1	8337	S128 not S129	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 08:11
S13 2	500	S131 and cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 08:17
S13 3	2	("5950003" "6047363").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 08:18
S13 4	1	"20030066061".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 09:03
S13 5	1	"20030066061".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/25 15:19
S13 6	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/25 15:35
S13 7	1652	"loop iteration"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/25 15:35
S13 8	9584	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/25 15:35
S13 9	170	S138 and S137	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/25 15:44
S14 2	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/25 15:44
S14 3	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/25 16:09
S14 4	0	value adj specialization same prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/27 14:18

EAST Search History

S14 5	0	value adj specialization same prefetch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/27 14:25
S14 6	13	value adj specialization	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/27 14:18
S14 7	1	value adj profil\$3 same prefetch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/27 14:25
S14 8	504	717/151.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 11:48
S14 9	309	717/158.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 11:49
S15 0	9996	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 11:51
S15 1	1113	((prefetch (pre adj fetch)) same ((system computer processor cache) near2 (characteristic profile limitation specification details type size speed location associativity)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 11:56
S15 2	424	((prefetch (pre adj fetch)) near10 ((system computer processor cache) near2 (characteristic profile limitation specification details type size speed location associativity)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 12:27
S15 3	67	((prefetch (pre adj fetch)) near10 (outstanding adj prefetch prefetch adj stream))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 12:27
S15 4	500	712/207.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/01 14:17
S15 5	454	S154 and (first and second (processor or loop) adj characteristics)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/01 14:18

EAST Search History

S15 6	4	S154 and (first and second and (processor or loop) adj characteristics)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/01 14:18
----------	---	---	---	----	----	------------------